



LED ^{TECHNIC}
by Bol-Art



LED's illuminate your project!

IP67


4xIK10




Waterproof & shockresistant LED lighting
Waterdichte & slagvaste LED verlichting
Eclairage LED resitant à l'eau & aux chocs



Breedte/Largeur/Width	30 mm
Standaardhoogte/ Hauteur standard/Standard height	25 mm en 40 mm
Beschikbare lengtes/ Longeurs/Lenghts	25, 50, 75, 100 en 125 cm
Kleuren/Couleurs/Colors	<ul style="list-style-type: none"> ■ 617 nm ■ 587 nm ■ 560 nm ■ 469 nm ■ 5400K RGB (kleurenwisseling)/ (changement de couleur)/ (colorchange)
Spanning/Tension/Tension	24V dc
Vermogen/ Puissance/Power	■ ■ 6 W/m
Connectoren/Connecteurs/ Connectors	IP67



Diameter	42, 48, 60 mm
Beschikbare lengtes/ Longeurs/Lenghts	25, 50, 75, 100 en 125 cm
Kleuren/Couleurs/Colors	<ul style="list-style-type: none"> ■ 617 nm ■ 587 nm ■ 560 nm ■ 469 nm ■ 5400K RGB (kleurenwisseling)/ (changement de couleur)/ (colorchange)
Spanning/Tension/Tension	24V dc
Vermogen/ Puissance/Power	■ ■ 6 W/m
Connectoren/Connecteurs/ Connectors	IP67



Afmetingen	60x60 / 67x67 / 100x100 / 200x200 mm
Kleuren/Couleurs/Colors	<ul style="list-style-type: none"> ■ 617 nm ■ 587 nm ■ 560 nm ■ 469 nm ■ 5400K
Spanning/Tension/Tension	24V dc
Vermogen/ Puissance/Power	60x60 / 67x67 : 1 W 100x100 : 3 W 200x200 : 12 W
Connectoren/Connecteurs/ Connectors	IP67



TECHNIC
LED
by Bol-Art

LED's illuminate your project!

BOL-ART nv | Booiebos 8 | B-9031 Drongen | T +32 9 378 21 61 | F +32 9 378 65 30
info@ledtechnic.be | www.ledtechnic.be